A+ electric®

A+ plastik®

use a plus

2015

ürün kataloğu

product catalogue

Saygıdeğer İş Ortaklarımız;

A Plus Plastik ve Elektrik, PVC Kablo Kanalları ve diğer elektrik tesisat ürünlerini üretmek üzere kurulmuştur.

Firmamız daha çok genç olmasına rağmen kısa sürede 25' in üzerinde farklı ülkeye ihracat yapmayı başarmıştır.

Satın almadan satışa kadar tüm çalışanlarımız alanında uzman kişilerden oluşmaktadır. Bu sayede size kalite beklentilerinizin üzerinde uygun fiyatlı ürünler sunabilmekteyiz.

Misyonumuz; müşterilerimize siparişlerini zamanında, istediği miktarda ve en uygun maliyet ile üretip ulaştırarak rakiplerine karşı avantajlı duruma geçmelerini sağlamaktır.

Vizyonumuz; Ülkemizi, dünya elektrik endüstrisinde temsil etmektir.

Uzun süreli işbirliği temennilerimiz ile saygılarımızı sunar işlerinizde başarılar dileriz.

Saygılarımızla,

A Plus Plastik ve Elektrik

Dear Business Partners;

A PLUS ELECTRIC LTD. was established to produce PVC cable trunkings and other electrical products.

Although our company is young, has managed to export more than 25 different countries in a short time.

All of our team, from purchasing to sales, is composed of experts in their fields. Therefore we can provide quality and affordable products to reach customers satisfaction.

Our Mission; produce and deliver our customers' orders on time with high quality and affordable cost.


Our vision; represent our country to the world's electric industry.

We wish to; a long-term cooperation and success in your business.

With our respects,

A Plus Plastic Electric.

www.aplusplastik.com.tr



İNDEKS / INDEX

1 KABLO KANALLARI / CABLE TRUNKINGS

1.1 Kablo Kanalları / Cable Trunkings
1.2 Yapışkan Bantlı Kablo Kanalları / Self- Adhesive Cable Trunkings
1.3 Kablo Kanal Aksesuarları / Cable Trunkings Accessories
1.4 Modüler Sistem Kablo Kanalları / Modular System Cable Trunkings
1.5 Modüler Sistem Kanal Aksesuarları / Modular System Cable Trunkings Accessories
1.6 Döşeme Üstü Kablo Kanalları / Floor Type Cable Trunkings
1.7 Pano Tipi Kablo Kanalları / Slotted Wiring Ducts
1.8 Lamine Kaplama Renkleri/ Wood Cover Colors

2 ELEKTRİK BORULARI / ELECTRICAL CONDUITS

2.1 Metal Spiral Borular / Metal Spiral Conduits
2.2 PVC Kaplı Metal Spiral Borular / PVC Coated Metal Spiral Conduits
2.3 Kılavuz Telli Metal Spiral Borular / Metal Spiral Conduits With Wire
2.4 PVC Kaplı Kılavuz Telli Metal Spiral Borular / PVC Coated Metal Spiral Conduits With Wire
2.5 PVC Kaplı Metal Spiral Ağır Hizmet Boruları / PVC Coated Heavy Duty Conduits (Liquid-Tight)

3 KLEMENSLER / TERMINAL BLOCKS & WIRE CONNECTORS

3.1 Plastik Sıra Klemensler / Plastic Terminal Blocks
3.2 Isıya Dayanıklı Plastik Sıra Klemensler / Heat Resistant Plastic Terminal Blocks
3.3 Porselen Klemensler / Porcelain Terminal Blocks
3.4 Zeytin Klemensler / Wire Nut Connectors

4 PLASTİK ELEKTRİK KUTULARI (PANOLAR) / PLASTIC ELECTRICAL BOXES (PANELS)

4.1 (ABS) Gri Kapaklı Elektrik Kutuları / (ABS) Electrical Boxes with Solid Door
4.2 (ABS) Şeffaf Kapaklı Elektrik Kutuları / (ABS) Electrical Boxes with Clear Door

5 SİGORTA (W OTOMAT) KUTULARI / FUSE BOXES

5.1 W Otomat Kutuları / Fuse Boxes

NEDEN A PLUS?

A PLUS ÜRETİM

- Tamamen orijinal ve dünya çapında kalitesi ıspatlamış SOLVAY, PETKİM, SABIC gibi markaların hammaddelerini kullanıyoruz.
- Tüm hammddeler ve yarı mamüller için giriş kalite uyguluyoruz, bu sayede siz müşterilerimize her zaman aynı kalitede ürünler üretebiliyoruz.
- Hammaddelerimizde insan sağlığına zararlı kurşun ve diğer ağır metalleri içermeyen malzemeleri tercih ediyoruz.
- Kalıplarımızı bünyemizdeki kalıphanede kendimiz üretiyoruz, periyodik makine ve kalıp bakımları ile kalitemizden ödün vermiyoruz.

A PLUS EKİP

- Tüm çalışanlarımızın alanlarında uzman kişilerden seçiyoruz.
- Çalışanlarımıza sürekli eğitim veriyor, yeteneklerini geliştirmelerini sağlıyoruz.
- Kalite ve müşteri memnuniyeti üst yönetim ve tüm çalışanlarımızın için ilk kuralıdır.
- Yönetim, satınalma, planlama, bakım, üretim, depo ve pazarlama arasındaki ilişkileri bilgisayar destekli sistemler ile kontrol altında tutuyoruz.

A PLUS TESLİMAT

- Zamanında, tam sipariş miktarında ve uygun maliyetli teslimat ile müşterilerimizin rakiplerine karşı avantajlı duruma geçmelerini sağlıyoruz.
- Yüklemelerimizde ürünlerin zarar görmemesi için maksimum özeni gösteriyoruz.
- Giriş, proses ve final kontrole ek olarak sevkiyat için yüklemede de kalite kontrol uyguluyoruz.

WHY A PLUS?

A PLUS PRODUCTION

- Completely original and have prooved the quality of the world, SOLVAY, PETKİM, SABIC, as we use the raw materials of the brand.
- We apply input quality control on all raw materials and semi-finished products. Therefore we can produce products for our customers the same quality all the time.
- We prefer environment friendly materials and lead-free materials.
- We manufacture and maintenance our molds in our own plant. In this way we do not compromise our quality.

A PLUS TEAM


- All of our employees, we choose from experts in their field.
- We constantly training our employees, we offer their development skills.
- Quality and customer satisfaction is the first rule for senior management and all employees.
- Relationships between management, finance, purchasing, planning, maintenance, production, storage and marketing well controlled with computerised systems.

A PLUS DELIVERY

- We provide to our customers competitive advantage with Just in time production.
- We pay maximum attention to loading process to prevent damages, every single shipping.
- We implement quality control for loading shipment, in addition to receiving, process and final controls.



A+ plastik




KABLO KANALLARI

CABLE TRUNKINGS

A SERİSİ / SERIES — PVC KABLO KANALLARI / PVC CABLE TRUNKIGS

12*12 Kablo Kanalı / Cable Trunking


Kod	*Code*	01 110 012012 11 101
Ölçüler	*Sizes*	12*12*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	378
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	22,09
Hacim (m^3)	*Volume (m^3)*	0,067
Renk	*Colour*	RAL 9010





15*10 Kablo Kanalı / Cable Trunking


Kod	*Code*	01 110 015010 11 101
Ölçüler	*Sizes*	15*10*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	340
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	21,7
Hacim (m^3)	*Volume (m^3)*	0,067
Renk	*Colour*	RAL 9010





16*16 Kablo Kanalı / Cable Trunking


Kod	*Code*	01 110 016016 11 102
Ölçüler	*Sizes*	16*16*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	266
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	22,58
Hacim (m^3)	*Volume (m^3)*	0,067
Renk	*Colour*	RAL 9010





20*13 Kablo Kanalı / Cable Trunking


Kod	*Code*	01 110 020013 11 102
Ölçüler	*Sizes*	20*13*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	300
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	23,8
Hacim (m^3)	*Volume (m^3)*	0,090
Renk	*Colour*	RAL 9010





25*16 Kablo Kanalı / Cable Trunking

Kod	*Code*	01 110 025016 11 102
Ölçüler	*Sizes*	25*16*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	168
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	21,124
Hacim (m^3)	*Volume (m^3)*	0,090
Renk	*Colour*	RAL 9010






A SERİSİ / SERIES — PVC KABLO KANALLARI / PVC CABLE TRUNKIGS

25*25 Kablo Kanalı / Cable Trunking


Kod	*Code*	01 110 025025 11 102
Ölçüler	*Sizes*	25*25*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	130
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	20,8
Hacim (m^3)	*Volume (m^3)*	0,090
Renk	*Colour*	RAL 9010





30*20 Kablo Kanalı / Cable Trunking


Kod	*Code*	01 110 030020 11 102
Ölçüler	*Sizes*	30*20*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	120
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	19,3
Hacim (m^3)	*Volume (m^3)*	0,090
Renk	*Colour*	RAL 9010





40*16 Kablo Kanalı / Cable Trunking


Kod	*Code*	01 110 040016 11 103
Ölçüler	*Sizes*	40*16*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	84
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	16,84
Hacim (m^3)	*Volume (m^3)*	0,090
Renk	*Colour*	RAL 9010





40*25 Kablo Kanalı / Cable Trunking


Kod	*Code*	01 110 040025 11 103
Ölçüler	*Sizes*	40*25*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	80
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	17,7
Hacim (m^3)	*Volume (m^3)*	0,104
Renk	*Colour*	RAL 9010





40*40 Kablo Kanalı / Cable Trunking

Kod	*Code*	01 110 040040 11 102
Ölçüler	*Sizes*	40*40*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	72
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	21,82
Hacim (m^3)	*Volume (m^3)*	0,090
Renk	*Colour*	RAL 9010






A SERİSİ / SERIES — PVC KABLO KANALLARI / PVC CABLE TRUNKIGS

60*40 Kablo Kanalı / Cable Trunking


Kod	*Code*	01 110 060040 11 102
Ölçüler	*Sizes*	60*40*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	48
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	19,06
Hacim (m^3)	*Volume (m^3)*	0,090
Renk	*Colour*	RAL 9010





60*60 Kablo Kanalı / Cable Trunking


Kod	*Code*	01 110 060060 11 102
Ölçüler	*Sizes*	60*60*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	40
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	20,5
Hacim (m^3)	*Volume (m^3)*	0,090
Renk	*Colour*	RAL 9010





80*40 Kablo Kanalı / Cable Trunking


Kod	*Code*	01 110 080040 11 102
Ölçüler	*Sizes*	80*40*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	36
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	18,58
Hacim (m^3)	*Volume (m^3)*	0,090
Renk	*Colour*	RAL 9010





80*60 Kablo Kanalı / Cable Trunking


Kod	*Code*	01 110 080060 11 102
Ölçüler	*Sizes*	80*60*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	32
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	20,98
Hacim (m^3)	*Volume (m^3)*	0,104
Renk	*Colour*	RAL 9010





100*40 Kablo Kanalı / Cable Trunking


Kod	*Code*	01 110 010040 11 102
Ölçüler	*Sizes*	100*40*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	28
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	18,52
Hacim (m^3)	*Volume (m^3)*	0,090
Renk	*Colour*	RAL 9010






A	SERİSİ	PVC KABLO KANALLARI
	SERIES	PVC CABLE TRUNKIGS

100*60	Kablo Kanalı / Cable Trunking	
Kod	*Code*	01 110 010060 11 102
Ölçüler	*Sizes*	100*60*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	24
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	20,02
Hacim (m^3)	*Volume (m^3)*	0,104
Renk	*Colour*	RAL 9010





120*60	Kablo Kanalı / Cable Trunking	
Kod	*Code*	01 110 120060 11 102
Ölçüler	*Sizes*	120*60*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	20
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	19,3
Hacim (m^3)	*Volume (m^3)*	0,104
Renk	*Colour*	RAL 9010





ÖZELLİKLER

Kablo Kanalları Kurşun İçermeyen Çevreye Saygılı PVC Hammaddeden Üretilir, PVC: UL94, V0 M1

12-120 mm Genişlik ve 12-60 mm Derinlikte 18 Farklı Ölçüde Kablo Kanalı

Kablo Kanalları Standart 2 Metre Olarak Üretilir

Çalışma Sıcaklığı: -25 +65 C°

Ce İşaretleme ve RoHS Direktiflerine Uygunluk

Standartlar: 50085-2-1

Renk : Beyaz veya Gri

Koruma Sınıfı : IP40

Darbelere Dayanıklı, Kırılmaz Ve Uv Dayanımlı

Kolay Kurulum, Boyanabilir, Alev Yaymaz, Ekonomik Ve Adaptasyonu Kolay

SPECIFICATIONS

Cable Trunkings Are Made of Lead-Free Environment Friendly PVC Material, PVC: UL94, V0 M1

12 to 120 mm Width, 12 to 60 mm Depth 18 Different Size Trunking

Manufactured Standard 2 Meters Lenght

Operating Temperature -25 C to +65 C

CE Marking, RoHS Directives

Reference Standart : EN 50085-2-1

Colour : Ral 9010

Ingress Protection : Ip40


Shock Resistant, Unbreakable And UV Resistant

Easy Install, Paintable, Non-Flammable, Economic and Adaptable

A SERİSİ / SERIES — YAPIŞKAN BANTLI PVC KABLO KANALLARI / SELF-ADHESIVE PVC CABLE TRUNKIGS

12*12 Yapışkan Bantlı Kablo Kanalı / Self-Adhesive Cable Trunking


Kod	*Code*	01 150 012012 11 102
Ölçüler	*Sizes*	12*12*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	378
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	22,09
Hacim (m^3)	*Volume (m^3)*	0,067
Renk	*Colour*	RAL 9010





15*10 Yapışkan Bantlı Kablo Kanalı / Self-Adhesive Cable Trunking


Kod	*Code*	01 150 015010 11 101
Ölçüler	*Sizes*	15*10*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	340
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	21,7
Hacim (m^3)	*Volume (m^3)*	0,067
Renk	*Colour*	RAL 9010





16*16 Yapışkan Bantlı Kablo Kanalı / Self-Adhesive Cable Trunking


Kod	*Code*	01 150 016016 11 102
Ölçüler	*Sizes*	16*16*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	266
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	22,58
Hacim (m^3)	*Volume (m^3)*	0,067
Renk	*Colour*	RAL 9010





20*13 Yapışkan Bantlı Kablo Kanalı / Self-Adhesive Cable Trunking


Kod	*Code*	01 150 020013 11 102
Ölçüler	*Sizes*	20*13*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	300
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	23,8
Hacim (m^3)	*Volume (m^3)*	0,090
Renk	*Colour*	RAL 9010





25*16 Yapışkan Bantlı Kablo Kanalı / Self-Adhesive Cable Trunking

Kod	*Code*	01 150 025016 11 102
Ölçüler	*Sizes*	25*16*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	168
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	21,124
Hacim (m^3)	*Volume (m^3)*	0,090
Renk	*Colour*	RAL 9010






A SERİSİ / SERIES — YAPIŞKAN BANTLI PVC KABLO KANALLARI / SELF-ADHESIVE PVC CABLE TRUNKIGS

25*25 Yapışkan Bantlı Kablo Kanalı / Self-Adhesive Cable Trunking


Kod	*Code*	01 150 025025 11 102
Ölçüler	*Sizes*	25*25*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	130
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	20,8
Hacim (m^3)	*Volume (m^3)*	0,090
Renk	*Colour*	RAL 9010





30*20 Yapışkan Bantlı Kablo Kanalı / Self-Adhesive Cable Trunking


Kod	*Code*	01 150 030020 11 102
Ölçüler	*Sizes*	30*20*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	120
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	19,3
Hacim (m^3)	*Volume (m^3)*	0,090
Renk	*Colour*	RAL 9010





40*16 Yapışkan Bantlı Kablo Kanalı / Self-Adhesive Cable Trunking


Kod	*Code*	01 150 040016 11 103
Ölçüler	*Sizes*	40*16*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	84
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	16,84
Hacim (m^3)	*Volume (m^3)*	0,090
Renk	*Colour*	RAL 9010





40*25 Yapışkan Bantlı Kablo Kanalı / Self-Adhesive Cable Trunking


Kod	*Code*	01 150 040025 11 103
Ölçüler	*Sizes*	40*25*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	80
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	17,7
Hacim (m^3)	*Volume (m^3)*	0,104
Renk	*Colour*	RAL 9010








40*40 Yapışkan Bantlı Kablo Kanalı / Self-Adhesive Cable Trunking

Kod	*Code*	01 150 040040 11 102
Ölçüler	*Sizes*	40*40*2000 mm
Ambalaj	*Package*	Box
Miktar	*Quantity*	72
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	21,82
Hacim (m^3)	*Volume (m^3)*	0,090
Renk	*Colour*	RAL 9010








A SERİSİ / SERIES — KABLO KANAL AKSESUARLARI / CABLE TRUNKING ACCESSORIES


Ölçü / Size	İç Köşe / External Corner	Dış Köşe / Internal Corner	L Köşe / Bend 90	T Köşe / T Piece	Sonlandırma / Blind Cap	Birleştirme / Joining Piece
						
12*12	102 012012	103 012012	104 012012	105 012012	106 012012	107 012012
Weight (kg)	0,127	0,170	0,170	0,145	0,131	0,141
Volume (m^3)	0,0013	0,0013	0,0013	0,0013	0,0012	0,0012
15*10	102 015010	103 015010	104 015010	105 015010	106 015010	107 015010
Weight (kg)	0,133	0,176	0,176	0,230	0,152	0,162
Volume (m^3)	0,0027	0,0027	0,0027	0,0027	0,0026	0,0026
16*16	102 016016	103 016016	104 016016	105 016016	106 016016	107 016016
Weight (kg)	0,158	0,188	0,242	0,176	0,182	0,192
Volume (m^3)	0,0078	0,0030	0,0030	0,0030	0,0029	0,0029
25*16	102 025016	103 025016	104 025016	105 025016	106 025016	107 025016
Weight (kg)	0,227	0,281	0,386	0,274	0,208	0,207
Volume (m^3)	0,0030	0,0026	0,0026	0,0026	0,0026	0,0026
25*25	102 025025	103 025025	104 025025	105 025025	106 025025	107 025025
Weight (kg)	0,343	0,448	0,448	0,327	0,263	0,126
Volume (m^3)	0,0030	0,0026	0,0026	0,0026	0,0026	0,0026
40*16	102 040016	103 040016	104 040016	105 040016	106 040016	107 040016
Weight (kg)	0,375	0,439	0,446	0,402	0,093	0,404
Volume (m^3)	0,0098	0,0073	0,0073	0,0073	0,0073	0,0073
40*25	102 040025	103 040025	104 040025	105 040025	106 040025	107 040025
Weight (kg)	0,354	0,691	0,376	0,345	0,152	0,283
Volume (m^3)	0,0098	0,0073	0,0073	0,0073	0,0013	0,0073
40*40	102 040040	103 040040	104 040040	105 040040	106 040040	107 040040
Weight (kg)	0,441	0,290	1,260	1,265	0,146	0,434
Volume (m^3)	0,0146	0,0073	0,0073	0,0073	0,0073	0,0073
60*40	102 060040	103 060040	104 060040	105 060040	106 060040	107 060040
Weight (kg)	1,003	1,056	1,155	1,477	0,510	0,391
Volume (m^3)	0,0099	0,0102	0,0102	0,0099	0,0028	0,0028
60*60	102 060060	103 060060	104 060060	105 060060	106 060060	107 060060
Weight (kg)	0,911	1,907	0,701	1,248	0,706	0,298
Volume (m^3)	0,0094	0,0102	0,0105	0,0105	0,0105	0,0105
80*40	102 080040	103 080040	104 080040	105 080040	106 080040	107 080040
Weight (kg)	0,931	0,737	1,260	1,037	0,685	1,101
Volume (m^3)	0,0105	0,0105	0,0105	0,0105	0,0105	0,0105

A SERİSİ / SERIES — KABLO KANAL AKSESUARLARI / CABLE TRUNKING ACCESSORIES

Ölçü / Size	İç Köşe / External Corner	Dış Köşe / Internal Corner	L Köşe / Bend 90	T Köşe / T Piece	Sonlandırma / Blind Cap	Birleştirme / Joining Piece
						
80*60	102 080060	103 080060	104 080060	105 080060	106 080060	107 080060
Weight (kg)	1,205	0,764	0,934	0,719	0,548	0,913
Volume (m^3)	0,0094	0,0105	0,0085	0,0081	0,0105	0,0102
100*40	102 100040	103 100040	104 100040	105 100040	106 100040	107 100040
Weight (kg)	0,606	0,743	1,036	1,150	0,228	0,899
Volume (m^3)	0,0105	0,0079	0,0105	0,0105	0,0028	0,0105
100*60	102 100060	103 100060	104 100060	105 100060	106 100060	107 100060
Weight (kg)	0,796	0,840	0,856	0,890	0,228	0,899
Volume (m^3)	0,0105	0,0105	0,0105	0,0105	0,0028	0,0105
120*60	102 120060	103 120060	104 120060	105 120060	106 120060	107 120060
Weight (kg)	0,749	0,803	0,940	0,867	0,279	1,350
Volume (m^3)	0,0105	0,0105	0,0105	0,0105	0,0029	0,0105

A SERİSİ / SERIES — MODÜLER SİSTEM KABLO KANALLARI & AKSESUARLARI / MODULAR SYSTEM CABLE TRUNKINGS & ACCESSORIES

100*50	Modüler Sistem Kablo Kanalları / Modular System Cable Trunkings	
Kod	*Code*	01 110 100050 11 101
Ölçüler	*Sizes*	100*50*2000
Ambalaj	*Package*	Box
Miktar	*Quantity*	16
Birim	*Unit*	Meter
Ağırlık (kg)	*Weight (kg)*	17,1
Hacim (m^3)	*Volume (m^3)*	0,067
Renk	*Colour*	RAL 9010



100*50	İç Köşe / Internal Corner		Dış Köşe / External Corner	
Kod	*Code*	03 810 100050 11 111	*Code*	03 820 100050 11 111
Ölçüler	*Sizes*	100*50	*Sizes*	100*50
Ambalaj	*Package*	Box	*Package*	Box
Miktar	*Quantity*	12	*Quantity*	10
Birim	*Unit*	Pcs.	*Unit*	Pcs.
Ağırlık (kg)	*Weight (kg)*	0,82	*Weight (kg)*	0,85
Hacim (m^3)	*Volume (m^3)*	0,007	*Volume (m^3)*	0,007
Renk	*Colour*	RAL 9010	*Colour*	RAL 9010

100*50	L Köşe / Bend 90^0		T Köşe / T Piece	
Kod	*Code*	03 830 100050 11 111	*Code*	03 840 100050 11 111
Ölçüler	*Sizes*	100*50	*Sizes*	100*50
Ambalaj	*Package*	Box	*Package*	Box
Miktar	*Quantity*	12	*Quantity*	12
Birim	*Unit*	Pcs.	*Unit*	Pcs.
Ağırlık (kg)	*Weight (kg)*	0,82	*Weight (kg)*	0,928
Hacim (m^3)	*Volume (m^3)*	0,007	*Volume (m^3)*	0,007
Renk	*Colour*	RAL 9010	*Colour*	RAL 9010

100*50	Birleştirme / Joining Piece		Sonlandırma / Blind Cap	
Kod	*Code*	03 850 100050 11 111	*Code*	03 860 100050 11 111
Ölçüler	*Sizes*	100*50	*Sizes*	100*50
Ambalaj	*Package*	Box	*Package*	Box
Miktar	*Quantity*	24	*Quantity*	24
Birim	*Unit*	Pcs.	*Unit*	Pcs.
Ağırlık (kg)	*Weight (kg)*	0,316	*Weight (kg)*	0,316
Hacim (m^3)	*Volume (m^3)*	0,001	*Volume (m^3)*	0,001
Renk	*Colour*	RAL 9010	*Colour*	RAL 9010

100*50	Priz Montaj Setleri / Frame Sets	Tekli / Single	İkili / Double	Üçlü / Triple
Kod	*Code*	03 871	03 872	03 873
Ölçüler	*Sizes*	100*50	100*50	100*50
Ambalaj	*Package*	Box	Box	Box
Miktar	*Quantity*	12	12	12
Birim	*Unit*	Pcs.	Pcs.	Pcs.
Ağırlık (kg)	*Weight (kg)*	0,316	0,400	0,592
Hacim (m^3)	*Volume (m^3)*	0,0013	0,0036	0,0074
Renk	*Colour*	RAL 9010	RAL 9010	RAL 9010


A SERİSİ / SERIES — MODÜLER SİSTEM KABLO KANALLARI & AKSESUARLARI / MODULAR SYSTEM CABLE TRUNKINGS & ACCESSORIES

SOKETLER - SOCKETS

Kod / Code	Tanım / Description	Miktar / Quantity
03 881 - C	Kanal Priz Şebeke (Ç.Emniyetli) / Single Power Socket With Child Protector	50
03 881 - A	Kanal Priz Şebeke 45˚ / Single Power Socket 45˚	50
03 882 - A	İkili Kanal Priz Şebeke 45˚ / Double Power Socket 45˚	16
03 883 - A	Üçlü Kanal Priz Şebeke 45˚ / Triple Power Socket 45˚	16
03 891 - C	Kanal Priz UPS (Çocuk Emniyetli) / Single Ups Socket With Child Protector	50
03 891 - A	Kanal Priz UPS 45˚ / Single Ups Socket 45˚	50
03 892 - A	İkili Kanal Priz UPS 45˚ / Double Ups Socket 45˚	16
03 893 - A	Üçlü Kanal Priz UPS 45˚ / Triple Ups Socket 45˚	16
03 901	45*22,5 Kapak / 45*22,5 Cover	50
03 902	45*22,5 Data Kapak / 45*22,5 Single Data Cover	50
03 903	45*45 Data Kapak / 45*45 Single Data Cover	50
03 904	45*45 İkili Data Kapak / 45*45 Double Data Cover	50
03 905	Cat 5 Data Soketi / Cat 5 Data Socket	100
03 906	Cat 6 Data Soketi / Cat 6 Data Socket	100
03 907	Telefon Soketi / Phone Socket	100

101*51 MODÜLER SİSTEM KABLO KANAL & AKSESUARLARI / 101*51 MODULAR SYSTEM CABLE TRUNKING & ACCESSORIES

YAPIM AŞAMASINDA / UNDER CONSTRUCTION




YENİ
NEW

A SERİSİ / SERIES — ZEMİN PVC KABLO KANALLARI / FLOOR PVC CABLE TRUNKIGS

50*12 Zemin Kablo Kanalı / Floor Type Cable Trunking

Kod	*Code*	03 600 050012 20 102
Ölçüler	*Sizes*	50*12*2000
Ambalaj	*Package*	Box
Miktar	*Quantity*	108
Birim	*Unit*	Meter
Ağırlık	*Weight*	29,28
Hacim (m^3)	*Volume (m^3)*	0,090
Renk	*Colour*	RAL 7030 Gri / Grey






70*20 Zemin Kablo Kanalı / Floor Type Cable Trunking

Kod	*Code*	03 600 070020 20 102
Ölçüler	*Sizes*	70*20*2000
Ambalaj	*Package*	Box
Miktar	*Quantity*	56
Birim	*Unit*	Meter
Ağırlık	*Weight*	25,84
Hacim (m^3)	*Volume (m^3)*	0,087
Renk	*Colour*	RAL 7030 Gri / Grey







90*20 Zemin Kablo Kanalı / Floor Type Cable Trunking

Kod	*Code*	03 600 090020 20 102
Ölçüler	*Sizes*	90*20*2000
Ambalaj	*Package*	Box
Miktar	*Quantity*	40
Birim	*Unit*	Meter
Ağırlık	*Weight*	26,2
Hacim (m^3)	*Volume (m^3)*	0,087
Renk	*Colour*	RAL 7030 Gri / Grey







PANO TİPİ KABLO KANALLARI

SLOTTED WIRING DUCTS

A SERİSİ / SERIES — PANO TİPİ PVC KABLO KANALLARI / SLOTTED TYPE PVC CABLE TRUNKIGS

25*25 — Pano Tipi Kablo Kanalı / Slotted Type Cable Trunking

Kod	*Code*	03 700 025025 20 102
Ölçüler	*Sizes*	25*25*2000
Ambalaj	*Package*	Box
Miktar	*Quantity*	160
Birim	*Unit*	Meter
Ağırlık	*Weight*	33,3
Hacim (m^3)	*Volume (m^3)*	0,087
Renk	*Colour*	RAL 7030 Gri / Grey



25*40 — Pano Tipi Kablo Kanalı / Slotted Type Cable Trunking

Kod	*Code*	03 700 025040 20 103
Ölçüler	*Sizes*	25*40*2000
Ambalaj	*Package*	Box
Miktar	*Quantity*	108
Birim	*Unit*	Meter
Ağırlık	*Weight*	30,46
Hacim (m^3)	*Volume (m^3)*	0,104
Renk	*Colour*	RAL 7030 Gri / Grey



25*60 — Pano Tipi Kablo Kanalı / Slotted Type Cable Trunking

Kod	*Code*	03 700 025060 20 101
Ölçüler	*Sizes*	25*60*2000
Ambalaj	*Package*	Box
Miktar	*Quantity*	72
Birim	*Unit*	Meter
Ağırlık	*Weight*	27,22
Hacim (m^3)	*Volume (m^3)*	0,087
Renk	*Colour*	RAL 7030 Gri / Grey



40*40 — Pano Tipi Kablo Kanalı / Slotted Type Cable Trunking

Kod	*Code*	03 700 040040 20 102
Ölçüler	*Sizes*	40*40*2000
Ambalaj	*Package*	Box
Miktar	*Quantity*	72
Birim	*Unit*	Meter
Ağırlık	*Weight*	26,5
Hacim (m^3)	*Volume (m^3)*	0,087
Renk	*Colour*	RAL 7030 Gri / Grey



40*60 — Pano Tipi Kablo Kanalı / Slotted Type Cable Trunking

Kod	*Code*	03 700 040060 20 102
Ölçüler	*Sizes*	40*60*2000
Ambalaj	*Package*	Box
Miktar	*Quantity*	48
Birim	*Unit*	Meter
Ağırlık	*Weight*	23,38
Hacim (m^3)	*Volume (m^3)*	0,087
Renk	*Colour*	RAL 7030 Gri / Grey



A SERİSİ / SERIES — PANO TİPİ PVC KABLO KANALLARI / SLOTTED TYPE PVC CABLE TRUNKIGS

40*80 — Pano Tipi Kablo Kanalı / Slotted Type Cable Trunking

Kod	*Code*	03 700 040080 20 102
Ölçüler	*Sizes*	40*80*2000
Ambalaj	*Package*	Box
Miktar	*Quantity*	36
Birim	*Unit*	Meter
Ağırlık	*Weight*	21,46
Hacim (m^3)	*Volume (m^3)*	0,087
Renk	*Colour*	RAL 7030 Gri / Grey



60*40 — Pano Tipi Kablo Kanalı / Slotted Type Cable Trunking

Kod	*Code*	03 700 060040 20 102
Ölçüler	*Sizes*	60*40*2000
Ambalaj	*Package*	Box
Miktar	*Quantity*	48
Birim	*Unit*	Meter
Ağırlık	*Weight*	23,86
Hacim (m^3)	*Volume (m^3)*	0,087
Renk	*Colour*	RAL 7030 Gri / Grey



60*60 — Pano Tipi Kablo Kanalı / Slotted Type Cable Trunking

Kod	*Code*	03 700 060060 20 103
Ölçüler	*Sizes*	60*60*2000
Ambalaj	*Package*	Box
Miktar	*Quantity*	40
Birim	*Unit*	Meter
Ağırlık	*Weight*	24,5
Hacim (m^3)	*Volume (m^3)*	0,087
Renk	*Colour*	RAL 7030 Gri / Grey



60*80 — Pano Tipi Kablo Kanalı / Slotted Type Cable Trunking

Kod	*Code*	03 700 060080 20 103
Ölçüler	*Sizes*	60*80*2000
Ambalaj	*Package*	Box
Miktar	*Quantity*	32
Birim	*Unit*	Meter
Ağırlık	*Weight*	23,06
Hacim (m^3)	*Volume (m^3)*	0,104
Renk	*Colour*	RAL 7030 Gri / Grey



80*60 — Pano Tipi Kablo Kanalı / Slotted Type Cable Trunking

Kod	*Code*	03 700 080060 20 103
Ölçüler	*Sizes*	80*60*2000
Ambalaj	*Package*	Box
Miktar	*Quantity*	32
Birim	*Unit*	Meter
Ağırlık	*Weight*	22,42
Hacim (m^3)	*Volume (m^3)*	0,104
Renk	*Colour*	RAL 7030 Gri / Grey



A SERİSİ / SERIES — PANO TİPİ PVC KABLO KANALLARI / SLOTTED TYPE PVC CABLE TRUNKIGS

80*80 Pano Tipi Kablo Kanalı / Slotted Type Cable Trunking

Kod	*Code*	03 700 080080 20 103
Ölçüler	*Sizes*	80*80*2000
Ambalaj	*Package*	Box
Miktar	*Quantity*	24
Birim	*Unit*	Meter
Ağırlık	*Weight*	18,82
Hacim (m^3)	*Volume (m^3)*	0,104
Renk	*Colour*	RAL 7030 Gri / Grey



100*60 Pano Tipi Kablo Kanalı / Slotted Type Cable Trunking

Kod	*Code*	03 700 100060 20 103
Ölçüler	*Sizes*	100*60*2000
Ambalaj	*Package*	Box
Miktar	*Quantity*	24
Birim	*Unit*	Meter
Ağırlık	*Weight*	20,74
Hacim (m^3)	*Volume (m^3)*	0,104
Renk	*Colour*	RAL 7030 Gri / Grey




100*80 Pano Tipi Kablo Kanalı / Slotted Type Cable Trunking

Kod	*Code*	03 700 100080 20 103
Ölçüler	*Sizes*	100*80*2000
Ambalaj	*Package*	Box
Miktar	*Quantity*	16
Birim	*Unit*	Meter
Ağırlık	*Weight*	16,02
Hacim (m^3)	*Volume (m^3)*	0,104
Renk	*Colour*	RAL 7030 Gri / Grey




MAIN TECHNICAL FEATURES :

- Made of: Technopolymer on grid PVC base, self-extinguishing (UL94)V0
- Narrow slots 4/6/4mm
- Perforated bottom according to the standart DIN 43659
- Standart bars length: 2m
- Referance Standarts : EN 5085-2-3
- Packed in strong cardboard boxes suitable for transport and storage
- Standart colour RAL7030, other colours on request
- Œ RoHS




First Break Line

You can bend the duct ribs up to 90 degrees angle and easily break them without any hand tools.




Bottom Rails

You can easily mount the accesories on the bottom rails on the duct.




Second Break Line

Second break line at the base of the slots permits to remove the whole trunking wall.



Special Cover Design

Really easy to install also thanks to the cover that doesn't fall of although the trunking is put vertically or turned upside down.







LAMİNE KAPLAMA RENKLERİ
LAMINATE COATING COLORS

109-METALİK / METALIC

100-MAUN / MAHOGANY

127-VENGE / WENGE

140-D-ALABAMA KİRAZ / ALABAMA CHERRY

140-ALABAMA KİRAZ / ALABAMA CHERRY

201-HUŞ / BIRCH

111-A-NAPOLYON KİRAZ / NAPOLYON CHERRY

111-KİRAZ / CHERRY

104-ARMUT / PEAR

104-B-YENİ ARMUT / NEW PEAR

620-YABAN ARMUT / DARK PEAR

108-E-AMERİKAN CEVİZ / AMERİCAN WALNUT

108-D-CEVİZ / WALNUT

108-A-AÇIK CEVİZ / LIGHT WALNUT

107-KAYIN / BEECH

107-B-AÇIK KAYIN / LIGHT BEECH

126-MERBAU / MERBAU

115-AKÇAAĞAÇ / MAPLE

113-MEŞE / OAK

113-YM-YENİCE MEŞE / LIGHT OAK

402-EĞRİDİR MEŞE / ROSE OAK

113-PR-BEYAZ MEŞE / WHITE OAK

500-LADİN / SPRUCE

630-YENİ CEVİZ / NEW WALNUT

610-ANTİK KAHVE / ANTIQUE BROWN

600-ANTİK / ANTIQUE

800-TURUNCU / ORANGE

805-PEMBE / PINK

810-KIRMIZI / RED

815-BORDO / BORDEAUX

820-KOYU MAVİ / DARK BLUE

825-AÇIK MAVİ / LIGHT BLUE

830-LİLA / LILAC

835-SİYAH / BLACK

840-YEŞİL / GREEN

850-HG.PARLAK KIRMIZI / HIGH GLOSS RED

855-HG.PARLAK BEYAZ / HIGH GLOSS WHITE

860-HG.ABANOZ / HIGH GLOSS MACASSAR

865-HG.PARLAK SİYAH / HIGH GLOSS BLACK

870-HG. PARLAK VENGE / HIGH GLOSS WENGE





METAL SPİRAL BORULAR

ELECTRICAL SPIRAL CONDUITS

A SERİSİ ELEKTRİK BORULARI
SERIES ELECTRICAL CONDUITS

METAL SPİRAL BORULAR
METAL SPIRAL CONDUITS

Ölçüler *Sizes*	Kod *Code*	Miktar (m) *Quantity (m)*	Ağırlık (Rulo) *Weight(Roll)*	Hacim (m^3) *Volume (m^3)*
9 mm	03 410 009050 99 503	50	2,50	0,011
11 mm	03 410 011050 99 503	50	3,00	0,018
14 mm	03 410 014050 99 503	50	3,80	0,025
16 mm	03 410 016050 99 503	50	4,50	0,030
18 mm	03 410 018050 99 503	50	5,40	0,036
21 mm	03 410 021050 99 503	50	6,11	0,044
26 mm	03 410 026025 99 503	25	4,11	0,034
29 mm	03 410 029025 99 503	25	5,51	0,037
32 mm	03 410 032025 99 503	25	6,01	0,046
35 mm	03 410 035025 99 503	25	6,39	0,051
37 mm	03 410 037025 99 503	25	6,01	0,055
40 mm	03 410 040025 99 503	25	8,01	0,065
42 mm	03 410 042025 99 503	25	8,61	0,073
45 mm	03 410 045025 99 503	25	8,76	0,079
50 mm	03 410 050025 99 503	25	9,26	0,094



KILAVUZ TELLİ METAL SPİRAL BORULAR
METAL SPIRAL CONDUITS WITH WIRE

Ölçüler *Sizes*	Kod *Code*	Miktar (m) *Quantity (m)*	Ağırlık (Rulo) *Weight(Roll)*	Hacim (m^3) *Volume (m^3)*
9 mm	03 415 009050 99 503	50	3,00	0,018
11 mm	03 415 011050 99 503	50	3,00	0,018
14 mm	03 415 014050 99 503	50	3,80	0,025
16 mm	03 415 016050 99 503	50	4,50	0,030
18 mm	03 415 018050 99 503	50	5,40	0,036
21 mm	03 415 021050 99 503	50	6,11	0,044
26 mm	03 415 026025 99 503	25	4,11	0,034
29 mm	03 415 029025 99 503	25	5,51	0,037
32 mm	03 415 032025 99 503	25	6,01	0,046
35 mm	03 415 035025 99 503	25	6,39	0,051
37 mm	03 415 037025 99 503	25	6,01	0,055
40 mm	03 415 040025 99 503	25	8,01	0,065
42 mm	03 415 042025 99 503	25	8,61	0,073
45 mm	03 415 045025 99 503	25	8,76	0,079
50 mm	03 415 050025 99 503	25	9,26	0,094







A SERİSİ ELEKTRİK BORULARI
SERIES ELECTRICAL CONDUITS

PVC KAPLI METAL SPİRAL BORULAR
PVC COATED METAL SPIRAL CONDUITS

Ölçüler *Sizes*	Kod *Code*	Miktar (m) *Quantity (m)*	Ağırlık (Rulo) *Weight(Roll)*	Hacim (m^3) *Volume (m^3)*
9 mm	03 420 009050 50 503	50	3,70	0,015
11 mm	03 420 011050 50 503	50	4,50	0,016
14 mm	03 420 014050 50 503	50	4,64	0,024
16 mm	03 420 016050 50 503	50	6,85	0,031
18 mm	03 420 018050 50 503	50	7,21	0,033
21 mm	03 420 021050 50 503	50	8,31	0,045
26 mm	03 420 026025 50 503	25	6,21	0,036
29 mm	03 420 029025 50 503	25	6,91	0,045
32 mm	03 420 032025 50 503	25	7,91	0,048
35 mm	03 420 035025 50 503	25	8,46	0,060
37 mm	03 420 037025 50 503	25	8,62	0,064
40 mm	03 420 040025 50 503	25	11,41	0,080
42 mm	03 420 042025 50 503	25	11,02	0,091
45 mm	03 420 045025 50 503	25	11,52	0,113
50 mm	03 420 050025 50 503	25	12,22	0,143



PVC KAPLI KILAVUZ TELLİ METAL SPİRAL BORULAR
PVC COATED METAL SPIRAL CONDUITS WITH WIRE

Ölçüler *Sizes*	Kod *Code*	Miktar (m) *Quantity (m)*	Ağırlık (Rulo) *Weight(Roll)*	Hacim (m^3) *Volume (m^3)*
9 mm	03 425 009050 50 503	50	4,50	0,016
11 mm	03 425 011050 50 503	50	4,50	0,016
14 mm	03 425 014050 50 503	50	4,64	0,024
16 mm	03 425 016050 50 503	50	6,85	0,031
18 mm	03 425 018050 50 503	50	7,21	0,033
21 mm	03 425 021050 50 503	50	8,31	0,045
26 mm	03 425 026025 50 503	25	6,21	0,036
29 mm	03 425 029025 50 503	25	6,91	0,045
32 mm	03 425 032025 50 503	25	7,91	0,048
35 mm	03 425 035025 50 503	25	8,46	0,060
37 mm	03 425 037025 50 503	25	8,62	0,064
40 mm	03 425 040025 50 503	25	11,41	0,080
42 mm	03 425 042025 50 503	25	11,02	0,091
45 mm	03 425 045025 50 503	25	11,52	0,113
50 mm	03 425 050025 50 503	25	12,22	0,143



A SERİSİ ELEKTRİK BORULARI
SERIES ELECTRICAL CONDUITS


PVC KAPLI METAL SPİRAL AĞIR HİZMET BORULARI
PVC COATED HEAVY DUTY CONDUITS (LIQUID-TIGHT)

Ölçüler *Sizes*	Kod *Code*	Miktar (m) *Quantity (m)*	Ağırlık (Rulo) *Weight(Roll)*	Hacim (m^3) *Volume (m^3)*
1/4"	03 430 014030 50 200	30	4,60	0,014
3/8"	03 430 038030 50 200	30	6,51	0,020
1/2"	03 430 012030 50 200	30	8,51	0,025
3/4"	03 430 034030 50 200	30	11,02	0,037
1"	03 430 100030 50 200	30	12,52	0,050
1 1/4"	03 430 114015 50 200	15	11,81	0,056
1 1/2"	03 430 112015 50 200	15	12,01	0,056
2"	03 430 200015 50 200	15	15,31	0,140
2 1/2"	03 430 212008 50 200	7,5	12,03	0,145
3"	03 430 300008 50 200	7,5	16,07	0,265
4"	03 430 400008 50 200	7,5	18,03	0,300





A+plastik





KLEMENSLER

TERMINAL BLOCKS

A SERİSİ / SERIES — PLASTİK SIRA KLEMENSLER / PLASTIC TERMINAL BLOCKS

		Normal	Isıya Dayanıklı	Eko - Normal	Eko - Isıya D.
		Normal	*Heat Resistant*	*Eco - Normal*	*Eco - Heat R.*
No:0 Sıra Klemens 0,75-1,5 mm² / No:0 Terminal Blocks 0,75-1,5 mm²					
Kod	*Code*	03 510 0111	03 511 0111	N/A	N/A
Ölçüler	*Sizes*	0	0		
Ambalaj	*Package*	Box	Box		
Miktar	*Quantity*	1000	1000		
Birim	*Unit*	Pcs.	Pcs.		
Ağırlık	*Weight*	20,75	21,99		
Hacim (m³)	*Volume (m³)*	0,0287	0,0287		
No:1 Sıra Klemens 2,5-4 mm² / No:1 Terminal Blocks 2,5-4 mm²					
Kod	*Code*	03 510 1111	03 511 1111	03 510 1112	03 511 1112
Ölçüler	*Sizes*	1	1	1	1
Ambalaj	*Package*	Box	Box	Box	Box
Miktar	*Quantity*	1000	1000	1000	1000
Birim	*Unit*	Pcs.	Pcs.	Pcs.	Pcs.
Ağırlık	*Weight*	30,59	33,07	28,77	30,83
Hacim (m³)	*Volume (m³)*	0,0504	0,0504	0,0435	0,0435
No:2 Sıra Klemens 4-6 mm² / No:2 Terminal Blocks 4-6 mm²					
Kod	*Code*	03 510 2111	03 511 2111	03 510 2112	03 511 2112
Ölçüler	*Sizes*	2	2	2	2
Ambalaj	*Package*	Box	Box	Box	Box
Miktar	*Quantity*	800	800	1000	1000
Birim	*Unit*	Pcs.	Pcs.	Pcs.	Pcs.
Ağırlık	*Weight*	36,30	39,67	32,14	35,04
Hacim (m³)	*Volume (m³)*	0,0549	0,0549	0,0590	0,0590
No:3 Sıra Klemens 6- 10 mm² / No:3 Terminal Blocks 6- 10 mm²					
Kod	*Code*	03 510 3111	03 511 3111	03 510 3112	03 511 3112
Ölçüler	*Sizes*	3	3	3	3
Ambalaj	*Package*	Box	Box	Box	Box
Miktar	*Quantity*	600	600	600	600
Birim	*Unit*	Pcs.	Pcs.	Pcs.	Pcs.
Ağırlık	*Weight*	37,15	40,56	28,08	30,78
Hacim (m³)	*Volume (m³)*	0,0580	0,0580	0,0455	0,0455
No:4 Sıra Klemens 10-16 mm² / No:4 Terminal Blocks 10-16 mm²					
Kod	*Code*	03 510 4111	03 511 4111	03 510 4112	03 511 4112
Ölçüler	*Sizes*	4	4	4	4
Ambalaj	*Package*	Box	Box	Box	Box
Miktar	*Quantity*	600	600	600	600
Birim	*Unit*	Pcs.	Pcs.	Pcs.	Pcs.
Ağırlık	*Weight*	39,72	43,59	32,72	36,15
Hacim (m³)	*Volume (m³)*	0,0716	0,0716	0,0504	0,0504





A SERİSİ / SERIES — PORSELEN KLEMENSLER / PORCELAIN TERMINALS

No:1 İkili Porselen Klemens / No:1 Binary Porcelain Terminals

Kod	*Code*	03 512 001002 11 111
Ölçüler	*Sizes*	1-2
Ambalaj	*Package*	Box
Miktar	*Quantity*	150
Birim	*Unit*	Pcs.
Ağırlık	*Weight*	2,115
Hacim (m^3)	*Volume (m^3)*	0,0012



No:1 Üçlü Porselen Klemens / No:1 Triple Porcelain Terminals

Kod	*Code*	03 512 001003 11 111
Ölçüler	*Sizes*	1-3
Ambalaj	*Package*	Box
Miktar	*Quantity*	100
Birim	*Unit*	Pcs.
Ağırlık	*Weight*	2,015
Hacim (m^3)	*Volume (m^3)*	0,0013



No:2 İkili Porselen Klemens / No:2 Binary Porcelain Terminals

Kod	*Code*	03 512 002002 11 111
Ölçüler	*Sizes*	2-2
Ambalaj	*Package*	Box
Miktar	*Quantity*	100
Birim	*Unit*	Pcs.
Ağırlık	*Weight*	2,23
Hacim (m^3)	*Volume (m^3)*	0,0013



No:2 Üçlü Porselen Klemens / No:2 TriplePorcelain Terminals

Kod	*Code*	03 512 002003 11 111
Ölçüler	*Sizes*	2-3
Ambalaj	*Package*	Box
Miktar	*Quantity*	60
Birim	*Unit*	Pcs.
Ağırlık	*Weight*	2,115
Hacim (m^3)	*Volume (m^3)*	0,0012



No:3 İkili Porselen Klemens / No:3 Binary Porcelain Terminals

Kod	*Code*	03 512 003002 11 111
Ölçüler	*Sizes*	3-2
Ambalaj	*Package*	Box
Miktar	*Quantity*	60
Birim	*Unit*	Pcs.
Ağırlık	*Weight*	2,34
Hacim (m^3)	*Volume (m^3)*	0,0014





PLASTİK ELEKTRİK KUTULARI (PANOLAR)

PLASTIC ELECTRICAL BOXES (PANELS)

www.kablokanali.gen.tr



(ABS) Gri Kapaklı Elektrik Kutuları

(ABS) Electrical Boxes with Solid Door


Kod / Code	03 540 203013	03 540 253515	03 540 304017	03 540 304022	03 540 355019	03 540 405024	03 540 406020	03 540 507025
Dimensions	200x300x130mm	250x350x150mm	300x400x170mm	300x400x220mm	350x500x190mm	400x500x240mm	400x600x200mm	500x700x250mm
Hinge Qty	2							3
Lock Qty	1		2					
Mounting Plate	Galvanised steel 1mm							
Plastic Material	HB ABS Halogen Free							
Weight	1.80kg	2.40kg	3.00kg	3.40kg	4.35kg	5.40kg	5.85kg	9.70kg
Colour	RAL 7035 Grey							
Protection Degree	IP65							
Conformity	CE							



(ABS) Şeffaf Kapaklı Elektrik Kutuları

(ABS) Electrical Boxes with Clear Door

Kod / Code	03 545 203013	03 545 253515	03 545 304017	03 545 304022	03 545 355019	03 545 405024	03 545 406020	03 545 507025
Dimensions	200x300x130m m	250x350x150m m	300x400x170m m	300x400x220mm	350x500x190m m	400x500x240m m	400x600x200m m	500x700x250m m
Hinge Qty	2							3
Lock Qty	1		2					
Mounting Plate	Galvanised steel 1mm							
Plastic Material	HB ABS Halogen Free							
Weight	1.80kg	2.40kg	3.00kg	3.40kg	4.35kg	5.40kg	5.85kg	9.70kg
Colour	RAL 7035 Grey body, Transparent door							
Protection Degree	IP65							
Conformity	CE							



BOARDS CODE	200x300x130mm	250x350x150mm	300x400x170mm	300x400x220mm	350x500x190mm	400x500x240mm	400x600x200mm	500x700x250mm
A	200	250	300	300	350	400	400	500
B	300	350	400	400	500	500	600	700
C	143	195	245	241	291	340	341	443.5
D	250	300	352	348	448	447	548	650.5
E	130	150	170	220	190	240	200	250

A+ plastik



SİGORTA KUTULARI

FUSE BOXES

W OTOMAT KUTULARI / FUSE BOXES



91101

1-2'li W Otomat Kutusu
1-2 Fuse Box
Коробка под 1-2 автомата с местом под пломбу Наружная
صندوق قاطع دوره لعدد (2-1)

Pcs./Box: 240	Weight(kg):15,84	(m³): 0,1202



91103

3-4'lü W Otomat Kutusu
3-4 Fuse Box
Коробка под 3-4 автомата с местом под пломбу Наружная
صندوق قاطع دوره لعدد (4-3)

Pcs./Box: 120	Weight(kg):10,52	(m³): 0,0922



91002

2'li Dekoratif Sıva Üstü W Otomat Kutusu
2 Surface Mounted Fuse Box
Коробка под 2 автомата Наружная
صندوق قاطع دوره ظاهري لعدد 2

Pcs./Box: 30	Weight(kg): 6,82	(m³): 0,0578



91004

4'lü Dekoratif Sıva Üstü W Otomat Kutusu
4 Surface Mounted Fuse Box
Коробка под 4 автомата Наружная
صندوق قاطع دوره ظاهري لعدد

Pcs./Box: 30	Weight(kg): 8,00	(m³): 0,0691



91006

6'lı Dekoratif Sıva Üstü W Otomat Kutusu
6 Surface Mounted Fuse Box
Коробка под 6 автоматов Наружная
صندوق قاطع دوره ظاهري لعدد 6

Pcs./Box: 30	Weight(kg): 10,40	(m³): 0,0931



91009

9'lu Dekoratif Sıva Üstü W Otomat Kutusu
9 Surface Mounted Fuse Box
Коробка под 9 автоматов Наружная
صندوق قاطع دوره ظاهري لعدد 9

Pcs./Box: 30	Weight(kg):15,10	(m³): 0,1474



91012

12'li Dekoratif Sıva Üstü W Otomat Kutusu
12 Surface Mounted Fuse Box
Коробка под 12 автоматов Наружная
صندوق قاطع دوره ظاهري لعدد 12

Pcs./Box: 20	Weight(kg): 14,50	(m³): 0,1577



91024

24'lü Dekoratif Sıva Üstü W Otomat Kutusu
24 Surface Mounted Fuse Box
Коробка под 24 автоматов Наружная
صندوق قاطع دوره ظاهري لعدد 24

Pcs./Box: 10	Weight(kg): 12,77	(m³): 0,1279



91036

36'lı Dekoratif Sıva Üstü W Otomat Kutusu
36 Surface Mounted Fuse Box
Коробка под 36 автоматов Наружная
صندوق قاطع دوره ظاهري لعدد 36

Pcs./Box: 10	Weight(kg):19,38	(m³): 0,1764



91016

16'lı Dekoratif Sıva Üstü W Otomat Kutusu
16 Surface Mounted Fuse Box
Коробка под 16 автоматов Наружная
صندوق قاطع دوره ظاهري لعدد 16

Pcs./Box: 20	Weight(kg): 16,90	(m³): 0,1642

W OTOMAT KUTULARI / FUSE BOXES



91102
2'li Dekoratif Sıva Altı W Otomat Kutusu
2 Flush Mounted Fuse Box
Коробка под 2 автомата внутренная
صندوق قاطع دوره دفن لعدد 2

Pcs./Box: 30	Weight(kg): 6,33	(m³): 0,0578



91104
4'lü Dekoratif Sıva Altı W Otomat Kutusu
4 Flush Mounted Fuse Box
Коробка под 4 автомата внутренная
صندوق قاطع دوره دفن لعدد 4

Pcs./Box: 30	Weight(kg): 7,50	(m³): 0,0691



91106
6'lı Dekoratif Sıva Altı W Otomat Kutusu
6 Flush Mounted Fuse Box
Коробка под 6 автоматов внутренная
صندوق قاطع دوره دفن لعدد 6

Pcs./Box: 30	Weight(kg): 10,22	(m³): 0,0931



91112
12'li Dekoratif Sıva Altı W Otomat Kutusu
12 Flush Mounted Fuse Box
Коробка под 12 автоматов внутренняя
صندوق قاطع دوره دفن لعدد 12

Pcs./Box: 20	Weight(kg): 15,20	(m³): 0,1577



91109
9'lu Dekoratif Sıva Altı W Otomat Kutusu
9 Flush Mounted Fuse Box
Коробка под 9 автоматов внутренная
صندوق قاطع دوره دفن لعدد 9

Pcs./Box: 30	Weight(kg): 15,10	(m³): 0,1474



91116
16'lı Dekoratif Sıva Altı W Otomat Kutusu
16 Flush Mounted Fuse Box
Коробка под 16 автоматов внутренная
صندوق قاطع دوره دفن لعدد 16

Pcs./Box: 20	Weight(kg): 16,15	(m³): 0,1642



91124
24'lü Dekoratif Sıva Altı W Otomat Kutusu
24 Flush Mounted Fuse Box
Коробка под 24 автомата внутренная
صندوق قاطع دوره دفن لعدد 24

Pcs./Box: 10	Weight(kg): 12,58	(m³): 0,1279



91136
36'lı Dekoratif Sıva Altı W Otomat Kutusu
36 Flush Mounted Fuse Box
Коробка под 36 автоматов внутренная
صندوق قاطع دوره دفن لعدد 36

Pcs./Box: 10	Weight(kg): 18,68	(m³): 0,1764

W OTOMAT KUTULARI / FUSE BOXES



91101-1
1-2'li W Otomat Kutusu - Kayın
1-2 Fuse Box-Oak
коробка под 1-2 автомата с местом под пломбу наруж. Бук
صندوق قاطع دوره لعدد (1-2)- خشب الزان

Pcs./Box: 240	Weight(kg):15,84	(m³): 0,0122

91103-1
3-4'lü W Otomat Kutusu - Kayın
3-4 Fuse Box-Oak
коробка под 3-4 автомата с местом под пломбу наруж. Бук
صندوق قاطع دوره لعدد (3-4)- خشب الزان

Pcs./Box: 120	Weight(kg):10,52	(m³): 0,0922



91102-1
2'li Dekoratif Sıva Altı W Otomat Kutusu - Kayın
2 Flush Mounted Fuse Box-Oak
коробка под 2 автомата внутр. Бук
صندوق قاطع دوره دفن لعدد (2)- خشب الزان

Pcs./Box: 30	Weight(kg): 6,33	(m³): 0,0578

91002-1
2'li Dekoratif Sıva Üstü W Otomat Kutusu-Kayın
2 Surface Mounted Fuse Box-Oak
коробка под 2 автомата наруж. Бук
صندوق قاطع دوره ظاهري لعدد (2)-خشب الزان

Pcs./Box: 30	Weight(kg): 6,82	(m³): 0,0578

91104-1
4'lü Dekoratif Sıva Altı W Otomat Kutusu-Kayın
4 Flush Mounted Fuse Box-Oak
коробка под 4 автомата внутр. Бук
صندوق قاطع دوره دفن لعدد (4)- خشب الزان

Pcs./Box: 30	Weight(kg): 7,50	(m³): 0,0691

91004-1
4'lü Dekoratif Sıva Üstü W Otomat Kutusu-Kayın
4 Surface Mounted Fuse Box-Oak
коробка под 4 автомата наруж. Бук
صندوق قاطع دوره ظاهري لعدد (4)- خشب الزان

Pcs./Box: 30	Weight(kg): 8,00	(m³): 0,0691



91106-1
6'lı Dekoratif Sıva Altı W Otomat Kutusu-Kayın
6 Flush Mounted Fuse Box-Oak
коробка под 6 автоматов внутр. Бук
صندوق قاطع دوره دفن لعدد (6)- خشب الزان

Pcs./Box: 30	Weight(kg):10,22	(m³): 0,0931

91006-1
6'lı Dekoratif Sıva Üstü W Otomat Kutusu-Kayın
6 Surface Mounted Fuse Box-Oak
коробка под 6 автоматов наруж. Бук
صندوق قاطع دوره ظاهري لعدد (6)- خشب الزان

Pcs./Box: 30	Weight(kg):10,40	(m³): 0,0931

91109-1
9'lu Dekoratif Sıva Altı W Otomat Kutusu-Kayın
9 Flush Mounted Fuse Box-Oak
коробка под 9 автоматов внутр. Бук
صندوق قاطع دوره دفن لعدد (9)- خشب الزان

Pcs./Box: 30	Weight(kg):15,10	(m³): 0,01474

91009-1
9'lu Dekoratif Sıva Üstü W Otomat Kutusu-Kayın
9 Surface Mounted Fuse Box-Oak
коробка под 9 автоматов наруж. Бук
صندوق قاطع دوره ظاهري لعدد (9)- خشب الزان

Pcs./Box: 30	Weight(kg):15,10	(m³): 0,01474

91112-1
12'li Dekoratif Sıva Altı W Otomat Kutusu-Kayın
12 Flush Mounted Fuse Box-Oak
коробка под 12 автоматов внутр. Бук
صندوق قاطع دوره دفن لعدد (12)- خشب الزان

Pcs./Box: 20	Weight(kg):15,20	(m³): 0,1577

91012-1
12'li Dekoratif Sıva Üstü W Otomat Kutusu-Kayın
12 Surface Mounted Fuse Box-Oak
коробка под 12 автоматов наруж. Бук
صندوق قاطع دوره ظاهري لعدد (12)- خشب الزان

Pcs./Box: 20	Weight(kg):14,50	(m³): 0,1577



91116-1
16'lı Dekoratif Sıva Altı W Otomat Kutusu-Kayın
16 Flush Mounted Fuse Box-Oak
коробка под 16 автоматов внутр. Бук
صندوق قاطع دوره دفن لعدد (16)- خشب الزان

Pcs./Box: 20	Weight(kg):16,15	(m³): 0,1642

91016-1
16'lı Dekoratif Sıva Üstü W Otomat Kutusu-Kayın
16 Surface Mounted Fuse Box-Oak
коробка под 16 автоматов наруж. Бук
صندوق قاطع دوره ظاهري لعدد (16)- خشب الزان

Pcs./Box: 20	Weight(kg):16,90	(m³): 0,1642

91124-1
24'lü Dekoratif Sıva Altı W Otomat Kutusu-Kayın
24 Flush Mounted Fuse Box-Oak
коробка под 24 автомата внутр. Бук
صندوق قاطع دوره دفن لعدد (24)- خشب الزان

Pcs./Box: 10	Weight(kg):12,58	(m³): 0,1279

91024-1
24'lü Dekoratif Sıva Üstü W Otomat Kutusu-Kayın
24 Surface Mounted Fuse Box-Oak
коробка под 24 автомата наруж. Бук
صندوق قاطع دوره ظاهري لعدد (24)- خشب الزان

Pcs./Box: 10	Weight(kg):12,77	(m³): 0,1279



91136-1
36'lı Dekoratif Sıva Altı W Otomat Kutusu-Kayın
36 Flush Mounted Fuse Box-Oak
коробка под 36 автоматов внутр. Бук
صندوق قاطع دوره دفن لعدد (36)- خشب الزان

Pcs./Box: 10	Weight(kg):18,68	(m³): 0,1764

91036-1
36'lı Dekoratif Sıva Üstü W Otomat Kutusu-Kayın
36 Surface Mounted Fuse Box-Oak
коробка под 36 автоматов наруж. Бук
صندوق قاطع دوره ظاهري لعدد (36)- خشب الزان

Pcs./Box: 10	Weight(kg):19,38	(m³): 0,1764

W OTOMAT KUTULARI / FUSE BOXES



91101-2

1-2'li W Otomat Kutusu - Ceviz
1-2 Fuse Box-Walnut
коробка под 1-2 автомата с местом под пломбу наруж. Opex
صندوق قاطع دوره لعدد (1-2)- خشب الجوز

Pcs./Box: 240	Weight(kg):15,84	(m³): 0,0122

91103-2

3-4'lü W Otomat Kutusu - Ceviz
3-4 Fuse Box-Walnut
коробка под 3-4 автомата с местом под пломбу наруж. Opex
صندوق قاطع دوره لعدد (3-4)- خشب الجوز

Pcs./Box: 120	Weight(kg):10,52	(m³): 0,0922



91102-2

2'li Dekoratif Sıva Altı W Otomat Kutusu - Ceviz
2 Flush Mounted Fuse Box-Walnut
коробка под 2 автомата внутр. Opex
صندوق قاطع دوره دفن لعدد (2)- خشب الجوز

Pcs./Box: 30	Weight(kg): 6,33	(m³): 0,0578

91002-2

2'li Dekoratif Sıva Üstü W Otomat Kutusu-Ceviz
2 Surface Mounted Fuse Box-Walnut
коробка под 2 автомата наруж. Opex
صندوق قاطع دوره ظاهري لعدد (2)-خشب الجوز

Pcs./Box: 30	Weight(kg): 6,82	(m³): 0,0578

91104-2

4'lü Dekoratif Sıva Altı W Otomat Kutus -Ceviz
4 Flush Mounted Fuse Box-Walnut
коробка под 4 автомата внутр. Opex
صندوق قاطع دوره دفن لعدد (4)- خشب الجوز

Pcs./Box: 30	Weight(kg): 7,50	(m³): 0,0691

91004-2

4'lü Dekoratif Sıva Üstü W Otomat Kutusu-Ceviz
4 Surface Mounted Fuse Box-Walnut
коробка под 4 автомата наруж. Opex
صندوق قاطع دوره ظاهري لعدد (4)- خشب الجوز

Pcs./Box: 30	Weight(kg): 8,00	(m³): 0,0691



91106-2

6'lı Dekoratif Sıva Altı W Otomat Kutusu-Ceviz
6 Flush Mounted Fuse Box-Walnut
коробка под 6 автоматов внутр. Opex
صندوق قاطع دوره دفن لعدد (6)- خشب الجوز

Pcs./Box: 30	Weight(kg):10,22	(m³): 0,0931

91006-2

6'lı Dekoratif Sıva Üstü W Otomat Kutusu-Ceviz
6 Surface Mounted Fuse Box-Walnut
коробка под 6 автоматов наруж. Opex
صندوق قاطع دوره ظاهري لعدد (6)- خشب الجوز

Pcs./Box: 30	Weight(kg):10,40	(m³): 0,0931

91109-2

9'lu Dekoratif Sıva Altı W Otomat Kutusu-Ceviz
9 Flush Mounted Fuse Box-Walnut
коробка под 9 автоматов внутр. Opex
صندوق قاطع دوره دفن لعدد (9)- خشب الجوز

Pcs./Box: 30	Weight(kg):15,10	(m³): 0,01474

91009-2

9'lu Dekoratif Sıva Üstü W Otomat Kutusu-Ceviz
9 Surface Mounted Fuse Box-Walnut
коробка под 9 автоматов наруж. Opex
صندوق قاطع دوره ظاهري لعدد (9)- خشب الجوز

Pcs./Box: 30	Weight(kg):15,10	(m³): 0,01474

91112-2

12'li Dekoratif Sıva Altı W Otomat Kutusu-Ceviz
12 Flush Mounted Fuse Box-Walnut
коробка под 12 автоматов внутр. Opex
صندوق قاطع دوره دفن لعدد (12)- خشب الجوز

Pcs./Box: 20	Weight(kg):15,20	(m³): 0,1577

91012-2

12'li Dekoratif Sıva Üstü W Otomat Kutusu-Ceviz
12 Surface Mounted Fuse Box-Walnut
коробка под 12 автоматов наруж. Opex
صندوق قاطع دوره ظاهري لعدد (12)- خشب الجوز

Pcs./Box: 20	Weight(kg):14,50	(m³): 0,1577



91116-2

16'lı Dekoratif Sıva Altı W Otomat Kutusu-Ceviz
16 Flush Mounted Fuse Box-Walnut
коробка под 16 автоматов внутр. Opex
صندوق قاطع دوره دفن لعدد (16)- خشب الجوز

Pcs./Box: 20	Weight(kg):16,15	(m³): 0,1642

91016-2

16'lı Dekoratif Sıva Üstü W Otomat Kutusu-Ceviz
16 Surface Mounted Fuse Box-Walnut
коробка под 16 автоматов наруж. Opex
صندوق قاطع دوره ظاهري لعدد (16)- خشب الجوز

Pcs./Box: 20	Weight(kg):16,90	(m³): 0,1642

91124-2

24'lü Dekoratif Sıva Altı W Otomat Kutusu-Ceviz
24 Flush Mounted Fuse Box-Walnut
коробка под 24 автомата внутр. Opex
صندوق قاطع دوره دفن لعدد (24)- خشب الجوز

Pcs./Box: 10	Weight(kg):12,58	(m³): 0,1279

91024-2

24'lü Dekoratif Sıva Üstü W Otomat Kutusu-Ceviz
24 Surface Mounted Fuse Box-Walnut
коробка под 24 автомата наруж. Opex
صندوق قاطع دوره ظاهري لعدد (24)- خشب الجوز

Pcs./Box: 10	Weight(kg):12,77	(m³): 0,1279



91136-2

36'lı Dekoratif Sıva Altı W Otomat Kutusu-Ceviz
36 Flush Mounted Fuse Box-Walnut
коробка под 36 автоматов внутр. Opex
صندوق قاطع دوره دفن لعدد (36)- خشب الجوز

Pcs./Box: 10	Weight(kg):18,68	(m³): 0,1764

91036-2

36'lı Dekoratif Sıva Üstü W Otomat Kutusu-Ceviz
36 Surface Mounted Fuse Box-Walnut
коробка под 36 автоматов наруж. Opex
صندوق قاطع دوره ظاهري لعدد (36)- خشب الجوز

Pcs./Box: 10	Weight(kg):19,38	(m³): 0,1764

CE DECLARATION OF CONFORMITY

We herewith declare, APLUS PLASTİK VE ELEKTRİK SAN. VE TİC. LTD. ŞTİ.

Selimpaşa Ortaköy San. Sit. Harput Sk.

No:4A Silivri / İSTANBUL / TÜRKİYE

Tel: +90 212 544 90 95 / +90 544 344 00 00

Fax: +90 212 544 90 95

that the following described product complies with the appropriate basic safety and health requirements of the Low Voltage Directive 73/23/EEC based on its design and type, as brought into circulation by us.

Description of the Product: Cable Trunkings, Cable Trunking Adhesive, Slotted Type Cable Trunkings, Slotted Type Cable Trunkings Adhesive, Floor Type Cable Trunkings, Floor Type Cable Trunkings Adhesive, Metal & PCV Coated Metal Spiral Pipes

Product Type: Sizes 12x12 – 15x10 – 16x16 – 20x10 – 25x16 – 25x25 – 30x20 – 40x16 - 40x25 – 40x40 – 60x40 – 60x60 – 80x40 – 80x60 – 100x40 – 100x50 – 100x60 – 120x60 mm PVC Cable Trunkings, 12x12 – 15x10 – 16x16 – 20x10 – 25x16 – 25x25 – 30x20 – 40x16 - 40x25 – 40x40 – 60x40 – 60x60 – 80x40 – 80x60 – 100x40 – 100x50 – 100x60 – 120x60 PVC Cable Trunkings Adhesive

Product Type: Sizes 25x25 – 25x40 – 25x60 - 40x40 – 40x60 – 40x80 – 60x40 – 60x60 – 60x80 – 80x60 – 80x80 – 100x60 – 100x80 mm Slotted Type Cable Trunkings, 25x25 – 25x40 – 25x60 - 40x40 – 40x60 – 40x80 – 60x40 – 60x60 – 60x80 – 80x60 – 80x80 – 100x60 – 100x80 mm Slotted Type Cable Trunkings Adhesive

Product Type: Sizes 50x12 – 70x20 – 90x20 mm Floor Type Cable Trunkings, 50x12 – 70x20 – 90x20 mm Floor Type Cable Trunkings Adhesive

Product Type: Sizes 9 mm - 11 mm - 14 mm - 16 mm - 18 mm - 21 mm - 26 mm - 29 mm - 32 mm - 35 mm - 37 mm - 40 mm - 42 mm - 45 mm - 50 mm Metal & PCV Coated Metal Spiral Pipes

Date / Authorized Signature: 15.05.2014 / Serkan AKARSU

Title of Signatory: Factory Director

CE DECLARATION OF CONFORMITY

We herewith declare, APLUS PLASTİK VE ELEKTRİK SAN. VE TİC. LTD. ŞTİ.

Selimpaşa Ortaköy San. Sit., Harput Sk, No:4A

Silivri / İSTANBUL / TURKİYE

Tel: +90 212 544 90 95 / +90 544 344 00 00

Fax: +90 212 544 90 95

Declare under our sole responsibility that the products :

20X30X13 - 25X35X15 - 30X40X17 - 30X40X22 - 35X50X19 - 40X50X24 - 40X60X20 - 50X70X25 cm (ABS) Electrical Boxes with Solid Door,

20X30X13 - 25X35X15 - 30X40X17 - 30X40X22 - 35X50X19 - 40X50X24 - 40X60X20 - 50X70X25 cm (ABS) Electrical Boxes with Clear Door,

to which this declaration relates is in conformity with the following standarts ;

TS-EN 60670

Date / Authorized Signature: 15.06.2014 / Serkan AKARSU

Title of Signatory: Factory Director

UAC Engineering Consultancy & Training Auditing
Inspection and Laboratory Services Co.
Orta Mah. Hamdi Efendi Sok. No:16 D:47 İz Tower
Residence Kartal / İSTANBUL Tel: +90216 3309048
www.uacmuhendislik.com

TEST REPORT

EN 50085-1:2005/A1:2013
Cable trunking systems and cable ducting systems for electrical installations-Part 1: General requirements

EN 50085-2-1 :2006
EN 50085-2-1 :2006/A1:2011
Cable trunking systems and cable ducting systems for electrical installations-Part 2-1:Cable trunking systems and cable ducting systems intended for mounting on walls and ceilings

Report Number.....	2014-001-003
Date of issue.....	25th November 2014
Total number of pages.....	16
Name of Testing Laboratory preparing the Report.....	UAC Engineering Consultancy & Training Auditing Inspection and Laboratory Services Co.
Applicant's name.....	APLUS PLASTİK VE ELEKTRİK SN VE TİC. LTD. ŞTİ.
Address	SELİMPAŞA ORTAKÖY SAN. SİT. HARPUT SK. NO:4A SİLİVRİ / İSTANBUL
Test specification:	
Standard	EN 50085-1 EN 50085-2-1
Test procedure	CB Scheme (LVD Test Procedure)
Non-standard test method	N/A
Test Report Form No.....	EN 50085-1/EN 50085-2-1
Test Report Form(s) Originator	IEC
Master TRF	EN 50085-1/EN 50085-2-1

Copyright © 2014 IEC System of Conformity Assessment Schemes for Electrotechnical Equipment and Components (IECEE System). All rights reserved.
This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.

If this Test Report Form is used by non-IECEE members, the IECEE/IEC logo and the reference to the CB Scheme procedure shall be removed.

This report is not valid as a CB Test Report unless signed by an approved CB Testing Laboratory and appended to a CB Test Certificate issued by an NCB in accordance with IECEE 02.

General disclaimer:

The test results presented in this report relate only to the object tested.
This report shall not be reproduced, except in full, without the written approval of the Issuing CB Testing Laboratory. The authenticity of this Test Report and its contents can be verified by contacting the NCB, responsible for this Test Report.

UAC Engineering Consultancy & Training Auditing
Inspection and Laboratory Services Co.
Orta Mah. Hamdi Efendi Sok. No:16 D:47 İz Tower
Residence Kartal / İSTANBUL Tel: +90216 3309048
www.uacmuhendislik.com

TEST REPORT

EN 61386-23:2004
EN61386-23:2004+A11:2010
Conduit systems for cable management –
Part 23: Particular requirements- Flexible conduit systems

EN61386-1:2008
Conduit systems for cable management - Parts 1: General requirements

Report Number. ..... :	2014-001-0019
Date of issue ..... :	09th December 2014
Total number of pages	16
Name of Testing Laboratory preparing the Report ..... :	UAC Engineering Consultancy & Training Auditing Inspection and Laboratory Services Co.
Applicant's name..... :	APLUS PLASTİK VE ELEKTRİK SN. VE TİC. LTD. ŞTİ.
Address ..... :	SELİMPAŞA ORTAKÖY SAN. SİT. HARPUT SK. NO:4A SİLİVRİ/ İSTANBUL
Test specification:	
Standard ..... :	EN 61386-1 EN 61386-23
Test procedure..... :	CB Scheme (LVD Test Procedure)
Non-standard test method..... :	N/A
Test Report Form No..... :	EN 61386-1/EN 61386-23
Test Report Form(s) Originator .... :	IEC
Master TRF ..... :	EN 61386-1/EN 61386-23

Copyright © 2014 IEC System of Conformity Assessment Schemes for Electrotechnical Equipment and Components (IECEE System). All rights reserved.
This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.

If this Test Report Form is used by non-IECEE members, the IECEE/IEC logo and the reference to the CB Scheme procedure shall be removed.

This report is not valid as a CB Test Report unless signed by an approved CB Testing Laboratory and appended to a CB Test Certificate issued by an NCB in accordance with IECEE 02.

General disclaimer:

The test results presented in this report relate only to the object tested.
This report shall not be reproduced, except in full, without the written approval of the Issuing CB Testing Laboratory. The authenticity of this Test Report and its contents can be verified by contacting the NCB, responsible for this Test Report.